

TC-Neo

Wireless Timecode Generator



1.1" OLED display, clear & flicker-free
Wired, wireless, and app sync
Intuitive control via Saramonic System app

TCXO precision
24-hour battery for all-day use
Wide compatibility with Saramonic and external devices

Features At A Glance

- **Pocket-sized, 1.1" OLED large display, Ultra-precision and Easy to use.**
 - Pocket-size makes it easy to install on camera without affecting the photographer's normal shooting.
 - High brightness large screen makes it convenient for the sound engineer to monitor during shooting.
 - Drift: Accuracy is less than 1 frame drift within 48 hours
 - iWatch knob button, smooth adjustment
- **All-weather battery life with durable performance.**
 - 24-hour battery life
 - Through external silicone cover, effectively prevent drops and shock absorption, and quickly identify multiple devices in group
- **Versatile Synchronization Methods**
 - Wired Sync
 - Local wireless multi-device one-click synchronization via 2.4Ghz
 - Bluetooth connection with Saramonic App for multiple timecoders synchronization



Wide compatibility with Saramonic & External Devices



SR-USB-C01
USB-C转USB-C音频线·直线



SR-TRS-C01
3.5mmTRS转TRS音频线·弹弓线·带锁



SR-TRS-C03
时码同步线·锁定3.5mm-5针LEMO插头



SR-TRS-C04
时码同步线·锁定3.5mm-5针LEMO



SR-TRS-C05
时码同步线·锁定3.5mm-5针LEMO插头·反向



SR-TRS-C06
时码同步线·锁定3.5mm-BNC



SR-TRS-C07
时码同步线·锁定3.5mm-4针直角



SR-TRS-C08
时码同步线·锁定3.5mm-9针



SR-TRS-C09
时码同步线·锁定3.5mm-9针 (佳能)



SR-TRS-C10
时码同步线·锁定3.5mm-索尼多端

 Saramonic X10-TX	 A1000	 A1000	 Blackmagic Ultra 7Mini	 RED DSMC2 ImageS 100 Expander	 RED DSMC2 4K	 索尼FX3
 DA Antenna A-R	 A1000	 A1000	 Blackmagic Ultra 7Mini	 RED DSMC2 ImageS 100 Expander	 RED DSMC2 4K	 索尼FX3
 DA OMNIPOCKET 3	 A1000	 A1000	 Blackmagic Ultra 7Mini	 RED DSMC2 ImageS 100 Expander	 RED DSMC2 4K	 索尼FX3
	 A1000	 A1000	 Blackmagic Ultra 7Mini	 RED DSMC2 ImageS 100 Expander	 RED DSMC2 4K	 索尼FX3
	 A1000	 A1000	 Blackmagic Ultra 7Mini	 RED DSMC2 ImageS 100 Expander	 RED DSMC2 4K	 索尼FX3
	 A1000	 A1000	 Blackmagic Ultra 7Mini	 RED DSMC2 ImageS 100 Expander	 RED DSMC2 4K	 索尼FX3
	 A1000	 A1000	 Blackmagic Ultra 7Mini	 RED DSMC2 ImageS 100 Expander	 RED DSMC2 4K	 索尼FX3
	 A1000	 A1000	 Blackmagic Ultra 7Mini	 RED DSMC2 ImageS 100 Expander	 RED DSMC2 4K	 索尼FX3
	 A1000	 A1000	 Blackmagic Ultra 7Mini	 RED DSMC2 ImageS 100 Expander	 RED DSMC2 4K	 索尼FX3
	 A1000	 A1000	 Blackmagic Ultra 7Mini	 RED DSMC2 ImageS 100 Expander	 RED DSMC2 4K	 索尼FX3

Comparison

Saramonic

Brand	Saramonic	REEM	TENTACLE
Product	TC-NEO	TC-1	SYNC
Price	€155 (1pcs) €475 (3pcs with charging case)	€189 (1pcs) €476 (3pcs without charging case)	€236 (1pcs)
High Precision TCXO	<1 frame drift / 48h	<1 frame drift / 48h	<1 frame drift / 24h
Battery life	≥24h / 144h (kit)	≥24h	40h
Timecode input/output	Master time code output/ slave time code reception	Master time code output/ slave time code reception	Master time code output/ slave time code reception
Synchronization Method	Wired/2.4G/APP Bluetooth	Wired/2.4G/APP Bluetooth	Wired/APP Bluetooth
APP Ecosystem	Support, Saramonic System, time code/power monitoring, one-key synchronization, frame rate switching, mode switching, OTA	Support, Sidus Audio, time code/power monitoring, one-key synchronization, frame rate switching, mode switching, OTA	Support
Screen Control	Support, 1.1-inch OLED, adjustable brightness	Support, 0.96 inch OLED	Not support
Accessories ecosystem (standard)	Time code generator, charging box, TRS-TRS (slingshot + elbow) time code cable, USB-C-USB-C (straight), USB-C-USB-A adapter plug, female buckle Velcro, cold shoe Velcro, 1/4 screw cold shoe, transparent protective cover, storage bag	Time code generator, TRS-TRS (slingshot + elbow) time code cable, USB-C-USB-C (straight), USB-C-USB-A adapter plug, female buckle Velcro, cold shoe Velcro	Time code generator, TRS-TRS (straight + elbow) time code cable, USB-C-USB-A charging cable (straight) Velcro, color straps, waterproof zipper bag
Accessory ecosystem (optional)	3.5-5pin, 3.5-lemo 5pin, 3.5-bnc, 3.5-4pin, 3.5- 9pin, mini bnc, 5 Pin-3.5 TRS , 3.5 TRS To USB-C, Sony FX3/30	3.5-5pin, 3.5-lemo 5pin, 3.5-bnc, 3.5-4pin, 3.5-9pin, mini bnc, 5 Pin-3.5 TRS 3.5 TRS To USB-C, Sony FX3/30	Limited / insufficient
Grouping function	Software settings/ protective case grouping	Software settings	Not support
Compatible devices	Recorder, video camera, SLR camera, mobile phone, sports camera, clapperboard	Recorder, video camera, SLR camera, mobile phone, clapperboard	Recorder, Camera
Latency	Drop-resistant and splash-proof	Not support	Not support
Dimension	49mm X37mm X19mm	53.4 mm X40 mm X 21.8 mm	50mm x34mm x 16mm