



STUDIO ACCESSORIES



EL-Boom Arm 63 – 156 cm

N° 31049

The EL Boom Arm with double hand grips, extends up to 156 cm. This is a comfortable way to hold lighting gear over the subject to provide an overhead light. The profiled extension tube avoids heads rotating around even when used with a softbox. The two sections of the EL-Boom Arm can be quickly adjusted with the clip-locks.

- Min. size: two sections, 63 cm
- Max. extension 156 cm
- Weight: 0.44 kg
- Rubberised handgrip
- Profiled aluminium tubes
- Standard spigot for EL-Flash heads and the Ranger Quadra heads.



Polystand

N° 31045

With the Polystand's unique sliding column and adjustable boom, a head or accessory can be placed up to 335 cm high or as low as 5 cm from floor level. Folds flat for travelling.

- Folded min. size: two sections, 150 cm
- Max. height: 335 cm
- Weight: 5.5 kg
- Max load: 8 kg/Boom 3kg
- Dimensions: 150 x 33 x 21 cm
- Boom: 154 cm

EL-TRIPOD SPECIFICATIONS

	Polystand	EL Tripod Air 105 - 264 cm	EL Tripod 88-235cm	EL Tripod 52-190cm	EL-Boom Arm 63-156cm
Code	31045	31041	30101	31048	31049
Folded size min.	150 cm	105 cm	88 cm	52 cm	63 cm
Extention max.	335 cm	265 cm	235 cm	190 cm	156 cm
Extras	-	Air Cushioned	-	-	-
Boom	154 cm	-	-	-	156 cm
Load max.	8 kg/Boom 3kg	6.5 kg	4.5 kg	1.8 kg	2 kg
Diameter	33 x 21 cm	9.5 cm	8 cm	7.5 cm	3 cm
Weight	5.5 kg	2.09 kg	1.72 kg	1.19 kg	0.44 kg

Tripod 88 – 235 cm

N° 30101

The EL stand sets are dedicated to Elinchrom flash sets and can be ordered separately. Two or three head sets are available.



Tripod Set 2

N° 30162

2x Tripod 88-235 cm

N° 30101

1x EL-Carrying bag

N° 33230



Tripod Set 3

N° 30161

3x Tripod 88-235 cm

N° 30101

1x EL-Carrying bag

N° 33220



Tripod 52-190 cm

N° 31048

The new compact, aluminium lightweight stand is designed for small heads, e.g. the Quadra heads. Weighing only 1.19 kg and 52 cm folded size, this stand is ultra transportable. The EL-Stand Set includes one carrying bag with shoulder strap and two stands. The perfect add-on for our Quadra Sets.

Tripod Set 52-190 cm


N° 31050

2x Tripods 52 - 190 cm

N° 31048

1x EL-Carrying bag

N° 33223



Tripod Air Set 105-264 cm

N° 31052

2x Tripod 105-264 cm

N° 31041

1x EL-Carrying bag

N° 33222



Tripod Air 105-264 cm

N° 31041

Air cushioned tripods prevent sudden collapse.

EL-CARRYING BAGS

For tripods & umbrellas up to 68 cm — N° 33218

For tripods up to 52 cm — N° 33223

For 3x tripods & umbrellas up to 87 cm — N° 33220

For 2x tripods up to 87 cm — N° 33230

For 3x tripods & umbrellas up to 110 cm — N° 33222

For Indirect Lights ; Octa, Square, Recta & Strip — N° 33221

For Rotalux 26178, 26180, 26183, 26175 — N° 33226

For Rotalux 26179, 26181, 26184, 26176 — N° 33227

For Rotalux 26186 — N° 33228

For Rotalux 26188 — N° 33229



Tripod - Umbrella Set To Go

N° 20564

2x Tripod 88-235 cm

N° 30101

1x Umbrella translucent 85 cm

N° 26351

1x Umbrella silver 85 cm

N° 26350

1x EL-Carrying bag

N° 33220





ProTec Bag Poly
N° 33196

The smart new ProTec Bag is designed to safely transport or store up to two Elinchrom compact flash units, up to two complete Quadra systems, or a combination of heads and accessories.

L x W x H: 39 x 28 x 37 cm



Power Pack Case

N° 33215S

For all Digital RX packs, all Ranger RX models and 1-2 flash heads.

EL-Skyport Hard Shell Case

N° 33000

Elegant hard shell case to protect and carry EL-Skyport Speed modules.

L x W x H: 16 x 11.5 x 3 cm



EL-Tube Bag D-Lite RX One
N° 33194

Carries and protects up to three D-Lite RX One

EL-Tube Bag D-Lite RX
N° 33198

Carries and protects two D-Lite RX 2 / 4

EL-Tube Bag BRX
N° 33199

Carries and protects two BRX 250 / 500



ProTec FS 30 Case
N° 33216

Designed to protect and transport the FS 30 Spot. Made out of durable nylon with strong chassis, YKK zippers and user replaceable wheels for your convenience.

L x W x H: 45 x 42 x 54 cm

ProTec Bag Softlite 44
N° 33231

This bag allows safe storage, shipping and transportation of Softlite 44cm reflectors or the Square reflector 44cm with an extra compartment for the Softlite Grid 44 cm.

L x W x H: 90 x 12 x 100 cm



ProTec Rolling Case
N° 33188

The modular compartments of variable sizes make this case a polyvalent solution for any type of equipment.

It has been designed to carry safely three compact flash units or even power packs and battery packs with accessories such as tripods and umbrellas that can be attached on the sides. Made out of durable nylon with strong chassis, YKK zippers and user replaceable wheels for your convenience.

Dimensions: 44.5 x 68.5 x 27 cm (17.5 x 27 x 10.6 inches)

Weight: 7.6 kg (16.8 lbs.)



ProTec Location bag
N° 33195

Quality and craftsmanship throughout, the ProTec

Location bag can be customized and reconfigured to fit photographer's equipment needs, while enabling quick and secure transportation from location to location.

L x W x H: 60.5 x 21.7 x 31.4 cm



EL-Sync Cord 5m — N° 11088

Camera pc > 3.5 mm jack
EL units with 3.5 mm sync
plug: Style, Style S, Style RX,
FX, BX, Chic 1/2, Digital 1/2,
Digital RX 1200/2400, D-Lite,
BXRI and BRX.



Sync Cord Transmitter 20 cm

N° 11120

Camera pc > 2.5 jack
This cable connects the
EL-Skyport Transmitter or
the Prolinca IR-Transmitter
with the camera PC socket.



EL-Sync Cord 5m — N° 11075

Camera pc > EL-Amphenol
Elinchrom standard sync
cord for all self-contained
(compact) flash units and
power packs. Except Style FX,
BX, D-Lite, BXRI, BRX and ELC
Pro HD.



EL-Spiral Sync Cord 5m


N° 11074

Camera pc > EL-Amphenol
Gold plated contacts to
increase the connectivity, with
a flexible spiral section, for all
EL compacts and power packs.
Except Style FX, BX, D-Lite,
BXRI, BRX and ELC Pro HD.

EL-Sync Adapter 6.35 phone jack 10 cm

N° 11083

EL Amphenol > 6.35 phone
jack female. To connect sync
cords with 6.35 phone jack.
Except Style FX, BX, D-Lite,
BXRI, BRX and ELC Pro HD.



Sync Adapter 6.35 - 3.5 J

N° 11125

Sync Adapter 6.35 - 3.5 j.
This device converts 6.35 sync
plugs to 3.5 mm standard
sync sockets. The Sync Adapt-
er is part of the EL-Skyport
Plus 19370 and EL-Skyport
Receiver 19369.



Sync Adapter 3.5-PC

N° 11126

The Sync Adapter 3.5 mm
- PC (female) connects the
EL-Skyport Universal Speed
Receiver with any other PC
(male) sync plug.



EL-FRC Sync Cable-Receiver

50 cm

N° 11072

EL-Amphenol male > 2.5
jack. This cable connects
the FRC Receiver 19316 with
the EL flash unit. Except
Style FX, BX, D-Lite, BXRI,
BRX and ELC Pro HD.



EL-Sync Hardwire Cord 5 m

N° 11089

3.5 mm jack > EL-Amphenol
To hardwire units in case the
photocell has a bad recep-
tion due to long distance
between flash units. For all
self-contained (compact)
flash units and power packs.
Except Style FX, BX, D-Lite,
BXRI, BRX and ELC Pro HD.

