

Features & Benefits

Lumens	Runtime	Beam Distance	Drop	Water Ingress
FL1 STANDARD 1000 LUMENS	FL1 STANDARD 7h	FL1 STANDARD 550m	FL1 STANDARD 3m	FL1 STANDARD IPX4



BATTERY SPECIFICATIONS

Battery Type	Energizer Rechargeable Li-Ion
Battery Size	21700 4800 mAh
Number of Cells	1

BATTERY PERFORMANCE

Modes	Lumens (lm)	Runtime (h)	Beam Distance (m)
High	1000	7	550
Low	250	28	350

Modes

High/Low

DISCLAIMERS

Tested according to ANSI FL1 Standards.
 This device complies with part 15 of the FCC Rules.
 Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

DESIGN BENEFITS

- ✓ Shatterproof lens
- ✓ Exceptionally durable construction for the most demanding jobs
- ✓ Convenient rechargeable power supply w/ USB charge out to charge devices
- ✓ High and low modes for optimized brightness and runtime control
- ✓ Built-in lanyard slot

PERFORMANCE BENEFITS

- ✓ LEDs provide a bright spot for a variety of tasks
- ✓ Powerful beam distance to see objects far away
- ✓ Water resistant for outdoor tasks
- ✓ Rechargeable Lithium-Ion power supply

LIGHT AND POWER SOURCE

- ✓ Features LED Technology
- ✓ 5000K CCT
- ✓ 60 CRI
- ✓ Powered by 21700 4800 mAh Lithium-Ion rechargeable battery

PRODUCT SPECIFICATIONS

Weight:	560 Grams/ 19.8 Ounces
Dimensions:	203mm x 89mm x 64mm 8" x 3.5" x 2.5"

ELECTRICAL CHARACTERISTICS

Nominal Power Consumption:	13W
Batteries:	1 Energizer Lithium ion 21700 4800mAh 3.7V DC
LED Specifications:	LED 3.0V cc / 3100 mA

CERTIFICATES AND COMPLIANCE

EMC, EN62471, FCC	CE	RoHS	UK CA	UK CA
-------------------	----	------	-------	-------



**NOTE:
 NEW MODEL
 CANNOT INCLUDE
 HYBRID BATTERY
 POWER.**

Model	Lumens	Notes / Comments
HCSRL9	H - 1000 L - 500	Lithium ion technology, which is the dominant technology in Rechargeable Lights.

