

SeaPal 6" Dome  
Instruction manual

Thank you for purchasing this SeaPal Dome.

### **Overview:**

Take your smartphone photography to the next level with the SeaPal Dome. The SeaPal Dome is a 6” acrylic Dome that connects to your JOBY SeaPal Waterproof Case. With the SeaPal Dome installed on your JOBY SeaPal Waterproof Case, you can capture crystal clear underwater images as well as the ever popular over/under style images where you can see above and below the waters surface at the same time.

Please read the following instructions and care tips before using your JOBY SeaPal Dome for the first time.

### **Whats in the box**

- SeaPal 6” Dome
- Silicon O-Ring

### **Table of Contents**

- [Whats in the box](#)
- [Nomenclature](#)
- [Initial setup](#)
- [Using the SeaPal Dome underwater](#)
- [Safety information](#)
- [Maintenance](#)
- [Limit of liability](#)
- [Warranty](#)
- [Servicing](#)

## Nomenclature




## Initial setup

- Make sure the front element of your JOBY Dome is clean. Inside and out.
- Screw on the Dome hand tighten.
- Remove the front protective film on the Dome.
- **Do not travel by air with your Dome installed on your JOBY SeaPal Waterproof Case.**

## Using the SeaPal Dome underwater

For best results please make sure you have carefully followed all initial setup instructions prior to taking your SeaPal Dome underwater.



To ensure Dome is sealed align the two vertical marks.

## Safety information

- Do not exceed depths of 10m/33ft.
- Do not leave your gear in temperatures greater than 30° C/86°F

## Maintenance and repair

After each use and before detaching it from the SeaPal Waterproof Case, rinse it thoroughly in fresh water. Dry it before storing. Store in a dry, cool area.

## Warranty info, limit of liability

Thank you for purchasing a JOBY product.

JOBY products are warranted to be fit for the purpose for which they have been designed, and to be free from defects in materials and workmanship.

This guarantee does not cover the product against subsequent damage or misuse. As JOBY SeaPal products are often used in extreme and volatile environments, we are unable to cover for loss or damage of equipment. Loss of income, reputation or other financial expenses, such as personal injury are also not covered by this warranty.

The period of validity of the Standard Limited Warranty is defined by the law in force in the country, state or region where the product is sold. Please retain your receipt as proof of purchase.

## How to get service?

After sales service:

[www.joby.com](http://www.joby.com)

Videndum Media Solutions Spa

Via Valsugana 100 - 36022 Cassola (VI) - Italy

© 2023 Videndum Media Solutions Spa

JOBY is a registered trademark of Videndum Media Solutions Spa